




# VIZULO



# Rook

# Rook





Other colors available on request

## Technical information



IP65

IK08



RoHS

<b>V</b>	220 - 240	DALI; Midnight dimming
<b>Hz</b>	50 - 60	Chromaticity tolerance (initial MacAdam): 5
<b>W</b>	15 - 28	Warranty 5 years
<b>lm</b>	1850 - 3730	100 000 h (L95B10) at Ta = 25 °C <sup>12</sup>
<b>lm/W</b>	121 - 130	
<b>K</b>	3000 / 4000 <sup>11</sup>	
<b>°C</b>	-40 to +50	Surge protection: 6 kV
<b>CRI</b>	>70 / >80	Body: Steel


<sup>11</sup> 5000; 5700 K available on request

<sup>12</sup> at Ta=25°, this value is only informative and may change according to selected article

4000K


<b>Number of LED's</b>		12	
<b>Nominal current, mA</b>	350	500	740
<b>Power, W</b>	15	20	28
<b>Luminous Flux, lm</b>	1980	2690	3730
<b>Efficacy, lm/W</b>	132	135	129
<b>Power factor, PF</b>	0,85	0,92	0,96

# Model name principles




# Optics


W01




W05




W13




W15




W16




W20




W22



W35



W53




# Accessories

## Connector

Art. 70000313


IP66 rated connector offers easy installation of the street luminaires.  
3 wire cable connector



## Connector

Art. 70000304


IP66 rated connector offers easy installation of the street luminaires.  
5 wire cable connector



## Pre-installed cable sets

For internal power supply:

3 x 1,5 mm - 0,5 m long cable.....	Art. 70000319
3 x 1,5 mm - 5 m long cable.....	Art. 70000320
3 x 1,5 mm - 6 m long cable.....	Art. 70000321
3 x 1,5 mm - 8 m long cable.....	Art. 70000322
3 x 1,5 mm - 10 m long cable.....	Art. 70000323
3 x 1,5 mm - 12 m long cable.....	Art. 70000324
3 x 1,5 mm - 18 m long cable.....	Art. 70000325
3 x 1,5 mm - 20 m long cable.....	Art. 70000425
3 x 1,5 mm - 22 m long cable.....	Art. 70000426
3 x 1,5 mm - 25 m long cable.....	Art. 70000427
3 x 1,5 mm - 32 m long cable.....	Art. 70000430
3 x 1,5 mm - 42 m long cable.....	Art. 70000431
3 x 1,5 mm - 50 m long cable.....	Art. 70000432



## Pre-installed cable sets

For internal power supply:

5 x 1,5 mm - 0,5 m long cable.....	Art. 70000305
5 x 1,5 mm - 5 m long cable.....	Art. 70000316
5 x 1,5 mm - 6 m long cable.....	Art. 70000317
5 x 1,5 mm - 8 m long cable.....	Art. 70000318
5 x 1,5 mm - 10 m long cable.....	Art. 70000306
5 x 1,5 mm - 12 m long cable.....	Art. 70000307
5 x 1,5 mm - 18 m long cable.....	Art. 70000308
5 x 1,5 mm - 20 m long cable.....	Art. 70000428
5 x 1,5 mm - 22 m long cable.....	Art. 70000429
5 x 1,5 mm - 25 m long cable.....	Art. 70000429
5 x 1,5 mm - 32 m long cable.....	Art. 70000433
5 x 1,5 mm - 42 m long cable.....	Art. 70000434
5 x 1,5 mm - 50 m long cable.....	Art. 70000435



## VIZULO

Starta street 1  
Riga, LV – 1026, Latvia

Sales: + 371 67 383 023  
Production: + 371 67 383 024

office@vizulo.com  
www.vizulo.com

 VIZULO

 VIZULO\_PHOTO

